

Practitioner's Docket No. Marblehead - Z

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of: Er, betta, R.A. dication No.: 6 /706,220 Group No.: 36/7
Examiner: Basinger, Sherman D.
Tubular Structule Avragement Application No.: 6 /706,220 Filed: 11/12/7003

Mail Stop Amendment **Commissioner for Patents** P.O. Box 1450 Alexandria, VA 22313-1450

SUBMISSION OF PROPOSED DRAWING AMENDMENT FOR APPROVAL BY EXAMINER (37 C.F.R. § 1.123)

Attached please find

(check applie	cable items)
a sketch in permanent ink, comp	prising a Replacement Sheet
a copy of the original drawing(s) v	with red ink markings,
showing the proposed changes to the drawing of the Examiner is requested.	Je Galan
	SIGNATURE OF PRACTITIONER
Reg. No.:21 <i>056</i>	Donald W. Halgier
	(type or print name of practitioner)
Tel. No.: (478)526 8000	35 Ential St
	P.O. Address
Customer No.:	Mondester MA olgan

NOTE: 37 C.F.R. § 1.121(a)(3)(ii) indicates that "Where a change to the drawings is desired, a sketch in permanent ink showing proposed changes in red, to become part of the record, must be filed for approval by the examiner and should be in a separate paper."

NOTE: While drawings submitted under §§ 1.81, 1.83-1.85, 1.152, 1.165, 1.174, and 1.437 may not be filed by facsimile, proposed drawing corrections for approval may be submitted by facsimile transmission. Notice of Oct. 15, 1993, 58 Fed. Reg. 54,494-54,504, at 54,495.

CERTIFICATE OF MAILING/TRANSMISSION (37 C.F.R. § 1.8(a))

I hereby certify that this correspondence is, on the date shown below, being:

MAILING

FACSIMILE

deposited with the United States Postal Service with sufficient postage as-firet class mail, in an envelope addressed to the Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450

☐ transmitted by facsimile to the Patent and Trademark Office.

art# ER4677018US

Date: Le May DS

Signature

(type or print name of person certifying)

(Submission of Proposed Drawing Amendment for Approval by Examiner (37 C.F.R. § 1.123) [9-16] —page 1 of 1)